


QUADRANT



Distributed by:

DURAPRO® Linings from Quadrant Engineering Plastic Products
 2120 Fairmont Avenue
 P.O. Box 14235 - Reading, PA 19612-4235
 Tel: 800 366 0300 / +1 610 320 6600
 Fax: 800 366 0301 / +1 610 320 6868
 e-mail: americas.epp@qpilas.com
 QuickSilver is a registered trademark of the
 Quadrant group of companies.
 This guide was created by Quadrant Engineering
 Plastic Products.
 Design and content are protected by copyright law.
 Copyright © 2011 The Quadrant group of companies.
 All rights reserved.

QUADRANT EPP MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, AND MAKES NO WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR ANY PARTICULAR PURPOSE.
 OR DAMAGES.
 OTHER THAN STATED ABOVE, Quadrant EPP DOES NOT ASSUME ANY OTHER LIABILITY, INCLUDING BUT NOT LIMITED TO, LIABILITY FOR SECONDARY CHARGES, EXPENSES FOR INSTALLATION OR REMOVAL, OR ANY OTHER CONSEQUENTIAL LOSSES.

This warranty does not obligate Quadrant EPP to bear the cost of labor in replacing defective parts. No other obligation is assumed or authorized to be assumed with respect to other products of Quadrant EPP other than herein set forth.

WARRANTY.
 EPP, NO EMPLOYEE OR REPRESENTATIVE IS AUTHORIZED TO CHANGE THIS WARRANTY IN ANY WAY OR GRANT ANY OTHER EPP or which has been installed or used other than in accordance with the printed instructions for DURAPRO liners from Quadrant. This warranty does not apply to any DURAPRO liner material of Quadrant EPP which has been repaired or altered outside of Quadrant.

The warranty is expressly limited to the replacement or repair of DURAPRO products at a DURAPRO authorized dealer location, or such other place as Quadrant EPP may designate. All DURAPRO liners or parts of DURAPRO liners returned to Quadrant EPP, or to a location designated by Quadrant EPP for factory inspection of possible defects in workmanship or material, shall be sent with all transportation charges prepaid.


This warranty does not apply to the design or workmanship of the installation or application performance.

Months	1/4"	3/8"	1/2"	Liner
1-12	100%	100%	100%	DURAPRO
13-36	-	100%	100%	DURAPRO
37-60	-	-	100%	DURAPRO

The DURAPRO industrial dump body liner material is warranted to the original purchaser to be free from defects in material and workmanship, including the fusion weld seam, under normal use and service for a period of 60 months from the date of proper installation, or to within 1/8" remaining liner material, whichever comes first. DURAPRO is not designed for use in Asphalt applications.

DURAPRO - 5 YEAR WARRANTY

QUADRANT



Distributed by:

QuickSilver® Linings from Quadrant Engineering Plastic Products
 2120 Fairmont Avenue
 PO Box 14235 - Reading, PA 19612-4235
 Tel 800 366 0300 / +1 610 320 6600
 Fax 800 366 0301 / +1 610 320 6868
 e-mail: americas.epp@qpilas.com
 QuickSilver is a registered trademark of the
 Quadrant group of companies.
 This guide was created by Quadrant Engineering
 Plastic Products.
 Design and content are protected by copyright law.
 Copyright © 2011 The Quadrant group of companies.
 All rights reserved.

QUADRANT EPP MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, AND MAKES NO WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR ANY PARTICULAR PURPOSE.

OTHER THAN STATED ABOVE, Quadrant EPP DOES NOT ASSUME ANY OTHER LIABILITY, INCLUDING BUT NOT LIMITED TO, LIABILITY FOR SECONDARY CHARGES, EXPENSES FOR INSTALLATION OR REMOVAL, OR ANY OTHER CONSEQUENTIAL LOSSES OR DAMAGES.

This warranty does not obligate Quadrant EPP to bear the cost of labor in replacing defective parts. No other obligation is assumed or authorized to be assumed with respect to other products of Quadrant EPP other than herein set forth.

This warranty does not apply to any QuickSilver® liner material of Quadrant EPP which has been repaired or altered outside of Quadrant EPP, NO EMPLOYEE OR REPRESENTATIVE IS AUTHORIZED TO CHANGE THIS WARRANTY IN ANY WAY OR GRANT ANY OTHER WARRANTY.

The warranty is expressly limited to the replacement or repair of QuickSilver® products at a QuickSilver® authorized dealer location, or such other place as Quadrant EPP may designate. All QuickSilver® liners or parts of QuickSilver® liners returned to Quadrant EPP, or to a location designated by Quadrant EPP for factory inspection of possible defects in workmanship or material, shall be sent with all transportation charges prepaid.

This warranty does not apply to the design or workmanship of the installation or application performance.

The QuickSilver® industrial dump body liner material is warranted to the original purchaser to be free from defects in material and workmanship, including the fusion weld seam, under normal use and service from the date of proper installation for the lifetime of the liner down to within 1/8" remaining liner material. QuickSilver® liners in 1/2" or thicker gauge are warranted for any temperature asphalt.

QUICKSILVER® - LIFETIME WARRANTY

For Specialty Distributor Only:

P.O.#: _____

QEPP Order #: _____

Material Purchase Date: _____

Important: Quicksilver, like most plastics, will ignite and sustain flame under certain conditions. Caution is urged where any may be exposed to open flame or heat-generated equipment.

Quicksilver is a registered trademark of the Quadrant Group of Companies

QUADRANT



Quadrant Engineering Plastic Products
2120 Fairmont Avenue
P.O. Box 4235
Reading, PA 19612-4235

Return to: Specialty Distributor

Specialty Distributor/Dealer: _____

Date: _____

Customer: _____

Date: _____

To validate warranty, a completed "Warranty Data" form must be signed by customer, must include Trailer ID# and returned to your specialty distributor within 3 months of purchase date for valid warranty.

Customer Information

State: _____ ZIP: _____

City: _____

Address: _____

Contact: _____

Company: _____

Other: _____ Yes No

Sidewall _____ Yes No

Bulkhead _____ Yes No

Length: _____ Gauge: _____

Material Size: _____ Gauge: _____

Width: _____ Gauge: _____

Purchase

Body/Trailer Information

Manufacturer: _____

Trailer ID#: _____

(From Manufacturer's Tag)

Body New: _____ Yes No How Old?

Body Material: _____ Steel Aluminum

Body Heated: _____ Yes No

Comments: _____

Application Data

Bulk Material Hauled: _____

Material Temperature Range: _____ F to _____ F

Operation Problems: _____

Sticking: _____ % Freezing: _____ %

Corrosion: _____ % Abrasion: _____ %

Comments: _____

Install Comments:

Was the floor smooth when installed: Yes No

Other Comments: _____

Customer Referral


Magazine Ad Direct Mail Internet

Trade Show Word of Mouth

WARRANTY DATA



Date: _____



LINER FAILURES CAUSED FROM IMPROPER USE, MAINTENANCE OR INSTALLATION ARE NOT WARRANTED.

- Liner Buckling (see drawing below) incorrect loading patterns of hot products can cause buckling and liner failure. Dropping the first load in the center can cause buckling of the liner towards the front. To reduce the risk, place the first dump in the very front of the body (on the doghouse). Subsequent loads should be front to back.

After proper installation of your *Quicksilver* liner, attention to these areas of preventive maintenance will help maintain performance and extend the life of your liner.

- Liner Trapped under Leading Edge Protector
If the liner is not allowed to expand freely, buckling can occur. Periodically check for and remove bends, dents or kinks in the leading edge protector. It's also important to remove bulk materials that may have become lodged between the protector and liner. These conditions could trap the liner, preventing movement needed for thermal expansion.
- Material Trapped under Liner
Material under the liner can cause accelerated wear and can cause holes in the liner. Fines can accumulate during unloading or tailgate closing. Check daily for fines under the liner and remove them.
- Asphalt Emission Build-up on Liner
Bulk materials can stick to emulsion build-up. Emulsion used as an asphalt binder can accumulate on the liner. Use a chemical release agent (check local regulations for proper usage), or rotate asphalt with abrasive loads to wear away the buildup.

PREVENTATIVE MAINTENANCE