

Drop Deck

Model 0212



Order Template

Date Completed: _____

Salesperson: _____

1

SOLD TO

Company: _____

Contact: _____

Address: _____

City: _____

State/Province: _____ Zip: _____

Phone: _____

Email: _____

2

END USER: (if different than sold to)

Company: _____

Contact: _____

City: _____

State/Province: _____ Zip: _____

Phone: _____

Email: _____

3

INSTALL OR SHIP SELECTION:

Aero Location: Install Location

Indianapolis, IN

Date Trailer(s) are available for Installation: _____

Drop Deck Conestogas are not available in ship out configurations


4

DROP DECK STYLE:


TD (Top Deck)

Hybrid (Both top deck and lower deck)


Rolled onto Top Deck



Rolled onto Top Deck



Rolled onto Lower Deck



5

TRAILER INFORMATION:

Trailer(s) Make _____ Trailer(s) Model _____ Mfg. Year _____

Quantity: Trailer(s) VIN _____

Trailer Bottom Deck Length _____ Trailer Top Deck Length _____

Drop Height on outside _____ (16"-42") Trailer Top Deck Height _____

Trailer Width: 96" 102" Other _____

Peak of Bottom Deck Height _____



NOTE: If "Other" is checked for either length or width, must complete section 9, 10, 11 & 12

6

HEIGHT:

Conestoga Bottom Deck Heights:

Bottom Deck Heights:

112" 114" 116" 118" 119" 120" 122" 124" 126"

NOTE: Top Deck Unit Height determines Bulkhead Height.

Other Not-Listed Heights: Height _____

NOTE: Additional charges may apply

7


PRODUCT SELECTION:	BULKHEAD	<input type="checkbox"/> Standard Non-DOT without access door <input type="checkbox"/> Standard Non-DOT with access door (T-handle locks) Note: Standard Non-DOT with and without access door have mill finish skin	<input type="checkbox"/> DOT Bulkhead (not available with access door) <input type="checkbox"/> Heavy Duty Non-DOT with access door (cam locks) Standard Non-DOT with access door (cam locks)
	UPLIFTS	<input type="checkbox"/> Double Uplift Bows (8"-10" tarp drop)	<input type="checkbox"/> Quad Uplift Bows (4"-5" tarp drop)
	REAR LOCK	<input type="checkbox"/> Tension Lock (screw drive operation)	
	CURTAIN	<input type="checkbox"/> _____ *See Section 11 for storage location*	<input type="checkbox"/> Pull Curtain (rope & pulley configuration will reduce rear clearance)
	Curtain Clamp	<input type="checkbox"/> AeroRad Curtain Clamp	
	PANEL COLOR	Standard Colors: <input type="checkbox"/> Black <input type="checkbox"/> White <input type="checkbox"/> Red <input type="checkbox"/> Royal Blue <input type="checkbox"/> Blue	Optional Colors: (lead times may vary) <input type="checkbox"/> Grey <input type="checkbox"/> Green <input type="checkbox"/> Orange <input type="checkbox"/> Silver NOTE: Other colors may be available. Additional charges and minimum order quantities may apply
	SKYLIGHT	<input type="checkbox"/> No Skylights <input type="checkbox"/> Skylight Every Other Panel <input type="checkbox"/> Skylight Every Panel	
	GRAPHICS	<input type="checkbox"/> No Graphics <input type="checkbox"/> Graphics (graphic layout approved) NOTE: Must have an approved graphic layout attached.	
	BULKHEAD	No Chain Rack <input type="checkbox"/> Standard Chain Rack <input type="checkbox"/> Enclosed Chain Rack Tray above Door / Full Width Tray above Door	
	LIGHTS	No Lights 18" Rail Light Spacing 32" Rail Light Spacing Full Bottom Rail Side Light Strip Clear Lens Amber Lights Bulkhead Internal LED Spotlights Bulkhead External Top Light Bar	

Comments:

8 Deck Length

Determine style (internal or external) of stake pockets before measuring. Internal stake pockets should be included in the measurement, external stake pockets should not. Note: An accurate deck length must be provided for any flatbeds that do not fit "industry" standard trailer lengths and fall within the cover ranges below; or the rear bow option without a full exterior sheet was selected section 7.

- 53' (Covers: 52'-6" to 53'-2") 45' (Covers: 44'-6" to 45'-2") 48' (Covers: 47'-6" to 48'-2")




9 Important Verification of Overall Height

Aero Industries is NOT responsible for ensuring an installed Conestoga meets any applicable local, state and federal height regulations. It is the customer's responsibility to ensure compliance. A worksheet is provided below to accurately calculate the overall height of an installed Conestoga. These instructions must be strictly followed to determine accurate height.

Instructions:

- Trailer must be set at normal operating 5th wheel height of **48"**. Air bags must be fully inflated to determine maximum deck height. The tractor intended to be used with the trailer should be attached prior to measuring.

NOTE: Please use this worksheet to ensure the Trailer and Conestoga Overall Height meets local, state and federal height regulations!



Height Upper Deck	
(6 & 7) Upper Deck Height, Whichever is greatest	_____
(A) Conestoga height plus 1"	+ _____
Overall height of Conestoga and trailer:	= _____

Height Lower Deck	
(4) Lower Deck Peak Height	_____
(5) Lower Deck Height (Rear Height)	_____
(B) Conestoga height plus add 1"	+ _____
(C) Overall height of Conestoga and trailer:	= _____

Minimum Internal Clearance	
(A) Conestoga height plus add 1"	_____
Max Uplift Clearance plus add 2-1/2"	- _____
Internal unit clearance height (minimum cargo clearance)	= _____

Note: Actual Unit Height will be 1" higher than listed height.
Note: Conestoga internal height is **3" less** than system height.


10 Trailer Width

Determine style (internal or external) of stake pockets before measuring. When measuring the deck width internal stake pockets should be included in the measurement, external stake pockets should not. The overall width should include all components including stake pockets, rub rail, etc. **Note:** An accurate width must be provided for any flatbeds that are not an "industry" standard 96" or 102" width.

Does the trailer have stake pockets? Yes No

If "no": Attach track directly to trailer side rail Provide spacers to create gap between track and trailer side rail

NOTE: A gap is required between the track and trailer side rail use Cargo restraint straps and winches.



11 One Piece Crank for Roll Curtain Storage Location

If you are ordering a 1 piece crank for your Roll Curtain, there are constraints on where it can be stored when not in use due to its overall length.

1. If your trailer does not have any accessories in the way, a tube will be mounted either on the driver side or passenger side in the relative location shown below and you will not be contacted.
2. If your trailer does have accessories mounted in this location, you will be contacted for approval of an alternative location.
3. If the crank cannot be stored in the standard location and you wish to have the crank shipped in the bed of the trailer and you can mount, please check the box below.

Mount in standard location, my trailer does not have accessories



Please contact me for possible mounting locations

Driver Side

Passenger Side

Do not contact me and ship the crank inside the unit on the bed of the trailer and I will mount it

Standard 1-Piece Mounting Locations:



INDIANAPOLIS, IN
Indianapolis, IN 46241
800-535-9545
FAX: 317-244-1311

KENT, OH
Kent, OH 44240
888-237-2262
FAX: 330-626-3277

VALLEY, NE
Omaha, NE 68064
800-535-8552
FAX: 402-895-6129

Davis, OK
Davis, Ok 73030

ORDER CONFIRMATION FORM

13

To Be Completed by Aero	Install, Location : _____	Base Unit Price	<input type="text"/>
	Ship Out, FOB: _____	Option(s) Price	<input type="text"/>
	*Payment Terms: _____	Graphic Price	<input type="text"/>
	**Scheduled Completion Date(s): _____ ; _____ ; _____ ; _____ ; _____ ; _____ ; _____ ; _____ ; _____ ; _____ ; _____ ; _____	Sub-Total	<input type="text"/>
	NOTES:	Freight	<input type="text"/>
	<i>*Price Change Notification: Due to ongoing volatility in material and freight costs, Aero Industries reserves the right to re-quote any orders up to 30-days prior to scheduled installation/delivery date.</i>	Tax	<input type="text"/>
	<i>** All completed orders will be invoiced on either the date of pick-up/ shipment, or the seventh business day after the order is complete. Deposit may be required for new customers and non-standard systems.</i>	Total Unit Price	<input type="text"/>
	<i>***Scheduled Completion Date(s) for installations are contingent upon trailers arriving to the installation facility a minimum 3 business days prior to scheduled installation date.</i>	Quantity X	<input type="text"/>
	Completed units left at an Aero facility for more than 30-days are subject to a daily storage fee.	TOTAL PRICE =	<input type="text"/>

14

To Be Completed by Customer	I hereby approve the specified items listed above. Orders will not be processed without completed and signed order confirmation.	
	Customer Signature _____	Date ____/____/____
	Print Name _____	Title _____
	Purchase Order _____	Phone Number _____
	Tax ID# (if applicable) _____	

NOTE: Any changes to the specifications above can be subject to applicable re-stocking and/or labor charges. Aero Industries reserves the right to change payment terms of orders. ORDERS CANNOT BE CANCELLED.

Disclaimers	Width Note: The Conestoga will add approximately 6" to the overall width of the trailer. All 102" wide trailers will finish approximately 108" wide, and 96" trailers will finish approximately 102" wide. Custom height and width systems may require a 6.75" smooth face bulkhead. Please consult Federal, State, and Local agencies to ensure compliance regarding width regulations. Aero Industries, Inc. cannot ensure that any particular jurisdiction will find that the Conestoga is in compliance with Federal or State regulations and their interpretations. Conestoga conforms to all Federal DOT regulations for width. Please reference DOT #393.106 (d)(1) .
	Federal Excise Tax Note: Section 4051(a) imposes a 12 percent excise tax on the first retail sale of automobile truck chassis, automobile truck bodies, truck trailer and semitrailer chassis, truck trailer and semitrailer bodies, and tractors of the kind chiefly used for highway transportation in combination with a trailer or semitrailer. Trucks with gross vehicle weight ratings of 33,000 pounds or less and trailers with gross vehicle weight ratings of 26,000 pounds or less are not subject to this tax. Section 4051(b)(1) imposes a 12 percent excise tax on the price of the installation of a part or accessory installed, or caused to be installed, by the owner, lessee, or operator of any vehicle that contains an article described in 4051(a). This tax only applies to installations made not later than _____ months after the date the vehicle was placed in service. The 4051(b) excise tax on the installation of parts or accessories is imposed on the owner, lessee, or operator of the vehicle on which parts or accessories are installed. Company is not the owner, lessee, or operator of the vehicles on which Company installs accessories. Therefore, Company is not required to pay this excise tax on account of an installation.
	Potential Price Increase: Aero Industries has reserved the right to change Conestoga kit and option pricing up to 30-days prior to scheduled installation/delivery date.

Order Acceptance	Accepted by: Aero Industries _____ Date ____/____/____
------------------	---